



[Windows-10-tcp-delayed-ack](#)

```
PS C:\Windows\System32> netsh int tcp set supplemental
The syntax supplied for this command is not valid. Check help for the correct syntax.

Usage: set supplemental [template=]automatic|datacenter|internet|compat|custom
[[minrto=<integer>]
[[icw=<integer>]
[[congestionprovider=]none|ctcp|dctcp|default]
[[enablecwndrestart=]disabled|enabled|default]
[[delayedacktimeout=<integer>]

Parameters:
Tag                Value
-----
Template           - One of the following values:
                    custom, datacenter, automatic, compat, internet.
                    Warning: Changing template parameters will affect all
                    previous filters for subnet/port.
minrto             - Controls TCP retransmission timeout. 20 to 300 msec.
icw                - Controls initial congestion window. 2 to 64 MSS.
congestionprovider - Controls the congestion provider.
enablecwndrestart  - Controls whether congestion window is restarted.
delayedacktimeout  - Controls TCP delayed ack timeout. 10 to 600 msec.

Example:
netsh int tcp set supplemental custom 20 16 dctcp enabled 10

Remarks: When only the template parameter is specified, the TCP default
global template is modified. If additional parameters are specified
in addition to the template parameter, then the specified template
is modified.
When minrto is modified ensure that the delayedacktimeout is less
than minrto.

PS C:\Windows\System32> netsh int tcp set supplemental custom 20 16 dctcp enabled 10
The request is not supported.

PS C:\Windows\System32>
```

[Windows-10-tcp-delayed-ack](#)

Download



